

## DRSX2400R

Description

DDR4-2400, PC4-2400T, ECC, 1.2V, 288-pin DIMMs

## **Products in Family**


DRSX2400R/16GB (1 x 16GB RDIMM) DRSX2400R/32GB (1 x 32GB RDIMM) DRSX2400LR/64GB (1 x 64GB LRDIMM)




| Features  |
|---|
| 288-pin JEDEC-compliant DIMMs                   |
| 133.35 mm wide by 31.25 mm high (5.25" x 1.23") |
| Data Transfer Rate: 19.2 Gigabytes/sec          |
| Operating Voltage: 1.2V (1.14V~1.26V)           |
| Fully RoHS Compliant                            |
| Thermal Sensor                                  |
|   |

The DRSX2400R upgrades are registered memory modules, which conform to JEDEC's DDR4, PC4-2400T standard. The DRSX2400LR is a load-reduced memory module (LRDIMM). One EEPROM is used for Serial Presence Detect and a combination register/PLL, with Address and Command Parity is also used.

| Dataram Product                                     | Oracle Product | Product Description   |
|---|----------------|---|
| DRSX2400R/16GB<br>DRSX2400R/32GB<br>DRSX2400LR/64GB |                | 1 x 16GB 2Rx4 PC4-2400T-R17<br>1 x 32GB 2Rx4 PC4-2400T-R17<br>1 x 64GB 4Rx4 PC4-2400T-L17 |





## Notes:

- Tolerances on all dimensions except where otherwise indicated are ±.13. Reference JEDEC standard MO-309C.
- 2. All dimensions are expressed: millimeters [inches]

DRSX2400R 27-Aug-19